

The University of Georgia...  
 Laboratory for Environmental and Water Quality  
 1000 University of Georgia Drive  
 Athens, GA 30602-3030  
 Phone: 706/542-4300  
 Fax: 706/542-4300  
 Email: lab@uga.edu

Received by: \_\_\_\_\_  
 Federal line: \_\_\_\_\_

Client Name: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Sample Location  
 (If different from client's address)

County: \_\_\_\_\_  
 Parcel No.: \_\_\_\_\_  
 Parcel Area: \_\_\_\_\_  
 Other Information: \_\_\_\_\_

Date Collected: \_\_\_\_\_  
 Sample ID: \_\_\_\_\_  
 Collector: \_\_\_\_\_

Client's Address to be sent to the analyzing laboratory:  
 Street: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

MPLE (Check One):  
 Municipal  Residential  Commercial  Industrial  Other

TYPE OF SAMPLE:  
 Tap Water  Ground Water  Surface Water  Other

TESTS REQUESTED

W1 - Basic Test (Includes: pH, P, K, Ca, Mg, Mn, Fe, Al, B, Cu, Cr, Mo, Ni, Si, Na, Zn, Calculated Hardness)

W2 (500mL/16 oz.) - GA Expanded Water Test (Includes: W1, Anions, Soluble Salts, Alkalinity)

W33 (1 liter/quart) - GA Certification for Drinking Water Providers (Drop off within 24 hours, or Ship Overnight)

W42 - Arsenic (As)     W42 - Lead (Pb)     W42 - Uranium (U)    W42 - Other: \_\_\_\_\_

W44 Nitrate (NO<sub>3</sub>-N)     W47 Nitrite (NO<sub>2</sub>-N)    Other: \_\_\_\_\_

DATE RETURNED: \_\_\_\_\_

PO<sub>4</sub> \_\_\_\_\_ SO<sub>4</sub> \_\_\_\_\_

FOR LAB USE ONLY

Payment Received: \_\_\_\_\_

pH \_\_\_\_\_ NO<sub>2</sub>-N \_\_\_\_\_ E.C. \_\_\_\_\_  
 F \_\_\_\_\_ Cl \_\_\_\_\_ NO<sub>3</sub>-N \_\_\_\_\_

Special Notes: \_\_\_\_\_

Fill in your contact information for the lab and for invoicing by our office.

If the sample location is different than your contact info, then fill that in here.

Fill in the date and time of collection. You may name your sample (ie